

(12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(19) World Intellectual Property  
Organization  
International Bureau



(43) International Publication Date  
19 August 2004 (19.08.2004)


PCT

(10) International Publication Number  
**WO 2004/069116 A1**

- (51) International Patent Classification<sup>7</sup>: A61F 5/449
- (21) International Application Number:  
PCT/DK2004/000073
- (22) International Filing Date: 3 February 2004 (03.02.2004)
- (25) Filing Language: English
- (26) Publication Language: English
- (30) Priority Data:  
PA 2003 00143 3 February 2003 (03.02.2003) DK  
PA 2003 01428 30 September 2003 (30.09.2003) DK
- (71) Applicant (for all designated States except US): COLO-  
PLAST A/S [DK/DK]; Høtved 1, DK-3050 Humlebaek  
(DK).
- (72) Inventor; and
- (75) Inventor/Applicant (for US only): WORSOEE, Bjarne  
[DK/DK]; Hornbækvej 477, DK-3080 Tikeb (DK).
- (74) Common Representative: COLOPLAST A/S; Patent  
Department, Foged, Soeren, Høtved 1, DK-3050 Hum-  
lebaek (DK).
- (81) Designated States (unless otherwise indicated, for every  
kind of national protection available): AE, AG, AL, AM,  
AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN,  
CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI,  
GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE,  
KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD,  
MG, MK, MN, MW, MX, MZ, NA, NI, NO, NZ, OM, PG,  
PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM,  
TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM,  
ZW.
- (84) Designated States (unless otherwise indicated, for every  
kind of regional protection available): ARIPO (BW, GH,  
GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW),  
Eurasian (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), Euro-  
pean (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR,  
GB, GR, HU, IE, IT, LU, MC, NL, PT, RO, SE, SI, SK,  
TR), OAPI (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW,  
ML, MR, NE, SN, TD, TG).

[Continued on next page]

(54) Title: AN OSTOMY SUPPORT GARMENT



(57) Abstract: An ostomy support garment in the form of a material having a hole for receiving a stoma, said hole having a stabilised edge wherein the edge is provided with an element allowing an increase or reduction of the length of the edge of the hole and providing a snug fit to the stoma ensures an easy application and removal of the garment and of a collecting bag combined with a sufficient support next to the stoma.

WO 2004/069116 A1

BEST AVAILABLE COPY

— with international search report

- For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.*

**TITLE**

An Ostomy Support Garment

**BACKGROUND OF THE INVENTION****5 1. Field of the Invention**

The present invention relates to an ostomy support garment having a hole for receiving a stoma and more particularly to an ostomy support garment having an adjustable hole for receiving a stoma.

- 10 In connection with surgery for a number of diseases in the gastrointestinal tract a consequence is, in many cases that the colon, the ileum or the urethra has been exposed surgically and the patient is left with an abdominal stoma. Such artificial openings or fistulae cannot be controlled at will and are therefore of necessity incontinent and the effluents or waste products of the body, which are conveyed
- 15 through these organs, are discharged through the artificial orifice or opening and are collected in a collection bag. Said bag is usually adhered to the skin by means of an adhesive wafer or plate having an inlet opening for accommodating the stoma. Such appliances may be two-piece or one-piece appliances. In both types of appliances, a body side member is attached to the wearer's abdomen,
- 20 and a receiving member or bag is attached to the body side ostomy member for receiving exudates from the stoma. Said receiving member being attached releasably in case of a two-piece appliance.

- In many instances patients having had a surgery resulting in the formation of a
- 25 stoma, an accompanying condition is formation of a peristomal bulge or hernia, which may complicate the bandaging of the stoma and even require further surgery. Even if further surgery is carried out there is a considerable risk of a permanent condition, which cannot be alleviated.

- 30 In such cases, the patient will have to rely on an additional hernia support for a mechanical reposition of the bulge or hernia for reducing the risk of constriction or strangulation calling for urgent surgery and for providing a plane surface around

the stoma for application of a collecting appliance in order to secure a proper adherence and sealing. Stomal bulge or hernia supports are commonly known and may e.g. be in the form of a belt of e.g. of leather with buckles or in the form of a support garment made from an elastic fabric being able to apply a sufficient pressure around the stoma.

5 In the case of a colostomy and in case the ostomate is normally irrigating, a minor cap or collecting bag may be used which enables the use of a firm support belt or tight compression briefs for providing a sufficient pressure around the stoma. For ileostomates or urostomates this procedure is not practicable due to the constant rather high output from the ileum or bladder and for urostomates it may be critical to provide a free flow from the stoma in order to prevent a build-up of a backpressure, which may destroy the kidneys.

10 15 In such cases, it is highly desirable or mandatory to give access to a larger collecting volume, which means that the collecting bag itself will have to be situated outside the pressure establishing belt or briefs and that a passageway through the same has to be established.

20 Determination of the site for placing the stoma is normally carried out prior to the operation after observing the patient in different postures, e.g. sitting, standing and bending over, finding the less critical area. WO 00/67683 discloses a device for use in the determination of the optimum position of a stoma-to-be for the patient in question.

25 As the placing of a stoma is not standardised but depends on the condition and the topography of the abdominal area of the patient, it is not possible to provide a simple selection of standard bulge or hernia supports fitting the majority of patients. The passageways must be tailored according to the actual conditions of the individual patient.

30

When making a hole in an ostomy support garment it has to be considered that the supporting effect of the missing material has to be provided for in another way and furthermore, it is necessary to stabilise the edge of a hole in order to avoid that it is inadvertently enlarged. At the same time, the effect of the stretching of the support garment and deformation of the shape of the hole when applied has to be taken into consideration as well as the problems associated with providing a sufficiently large hole for allowing an easy passing of an ostomy collection bag during application and removal of the garment and the passing of intestinal contents from the stoma into the bag and at the same time providing a sufficiently snug fit to the stoma to ensure the support next to the stoma.

## 2. Description of the Related Art

DK Patent Application No. PA 1999 01559 discloses a stomal hernia support compression garment in the form of a pair of compression trousers having a customised hole. The edge of the hole is stabilised by incorporation of a string of nylon sewn with a lockstitch and a zigzag stitch to ensure that the shape of the hole is not changed and furthermore, an enforcement of cotton is sewn using zigzag stitch for stabilising the area around the hole.

US 5,135,520 discloses a variable closure device for an ostomy garment having a pair of criss-cross pocket forming panels configured to lie behind an ostomy device. The criss-cross arrangement of pocket panels are created by finished edges which overlap along their lower ends to define an adjustable, elongated, slanted slot.

It is an object of the present invention to provide a hernia supporting device which provides a hole through which an ostomy bag may be passed, but which is shaped such that the bag is not moved out of the hole by accident. Thus it is an object to provide a supporting device which provides a snug fit between an edge of a hole in the supporting device and the ostomy bag.

It is also an object of the present invention to provide a hole which is flexible so as to make it easier for the user to pass the ostomy bag through the hole and such that the hole adapts to the shape of the ostomy device.

## 5 SUMMARY OF THE INVENTION

The present invention relates to an ostomy support garment having a hole for receiving a stoma, said hole having a stabilised and adjustable edge.

### Brief Description of the Drawings

- 10 The invention is disclosed more in detail with reference to the drawings in which Figure 1 shows an embodiment of the invention in the form of a pair of support briefs worn by a user. Fig 2 and 3 show different configurations of the slits.

### Detailed Description of the Present Invention

- 15 The present invention relates to an ostomy support garment in the form of a material having a hole for receiving a stoma, said hole having a stabilised edge wherein the edge is provided with an element allowing an increase or reduction of the length of the edge of the hole, wherein the hole is provided with a slit, which juts from the edge of the hole into the material and the element is a fastening  
20 element enabling a closure of the slit reducing the perimeter of the hole.

- It may be seen as an advantage of the present invention that the hole (and its edge) is flexible and stable enough to support the ostomy bag. Had the edge of the hole been inflexible it would be harder to pull the ostomy bag through the  
25 hole, as the hole could not be temporarily enlarged. Furthermore an unflexible hole could not follow the movement of the user and thus an edge of the hole would apply unwanted pressure to the ostomy bag for some positions of the user e.g. when sitting down or when bending forward.

- 30 It may further be seen as an advantage of the present invention that the slit provides the possibility of temporarily making the hole bigger, such that an ostomy bag may be passed through the supporting device. When this is done the

sides of the slit may be moved towards each other e.g. such that they abut on each other.

When removing the fastening element temporarily, the hole may easily be  
5 enlarged and obtain a keyhole shape facilitating the application and removal of  
the garment or a collecting bag. Then, the fastening element is repositioned  
closing the slit and providing a snug fit to the stoma and a sufficient support next  
to the stoma. In this embodiment, the increase or reduction of the length is not  
depending on elasticity of the material from which the garment is made. Thus,  
10 also non-elastic materials may be used without jeopardizing the facility of the  
application and removal of the garment or a collecting bag.

By changing the effective length of the edge of the hole, the size of the hole may  
be temporarily increased and/or the shape of the hole may be temporarily  
15 changed for facilitating the application or removal of the garment or a collecting  
bag. By length of the edge of the hole is meant the length of the perimeter of the  
hole i.e. the distance along the inner edge of the hole. The cross-sectional area  
of the hole may be made bigger by increasing the length of the edge. However  
for the same length of the edge of the hole, the cross-sectional area may vary as  
20 a circular hole has bigger area than an elliptic hole.

In one embodiment, the fastening closing the slit is suitably a lace  
placed in a passage at the edge of the hole, said passage being interrupted by  
the slit. When untying the lace, the hole may be enlarged and obtain a keyhole  
25 shape and the size of the hole is reduced by tying a knot or bow drawing the  
ends of the passage together providing a snug fit to the stoma.

In the alternative, the fastening closing the slit is a zip-like fastener drawing the  
edges of the slit together or snaps, buckles, buttons, rings or by mating elements  
30 of hook and loop fastening material bridging the slit at the edge of the hole.

If the fastenings closing the slit are able to take up the stretching forces of the garment when applied, the slit may stretch from the edge of the hole to the waste-line of the garment facilitating the application and removal of the garment. The garment of the invention has a hole having a stabilised edge being

- 5 sufficiently stiff and providing a snug fit to the stoma to ensure a sufficient support next to the stoma and also enabling an easy application and removal of the garment or a collecting bag.

- 10 The supporting device of the present invention may be mass-produced in different sizes and with different positions of the hole. However the best fit is provided by customising the device and the hole the user of the device. Such customisation makes it possible to provide an even closer fit between the edge of the hole and the ostomy bag as the hole is positioned in exactly the right spot.

- 15 In relation to the present invention it may be usefull that the garment is made from an elastic material and the element is a string attached to the edge in a manner allowing an increase or decrease of the perimeter of the hole. When tightening the string, a snug adaptation of the size of the hole to the stoma is obtained together with a sufficient support next to the stoma and when loosening
- 20 the string, an enlargement of the size of the hole is obtained which facilitates the application and removal of the garment or a collecting bag.

- It is usefull in connection with the present invention that the element is a cord placed in a passage at the edge of the hole. The use of a passage stabilises the
- 25 edge and allows for a continuous adaptation of the length of the edge of the hole.

- The use of a passage in the edge of the hole stabilises said edge and allows for a continuous adaptation of the length of the edge of the hole. The passage may extend along the entire edge of the hole or may be divided into a plurality of
- 30 passages distributed along the edge. If a plurality of passages are provided it may be easier for the user to replace a broken cord as the user need not to mingle a cord through a long passage without being able to pull the cord most of



the way. On the other hand a continuous cord provides the best fit between the device and the ostomy bag.

5 It may be practical that the element is forming a lace giving the option of a simple fixation of the length by tying a knot or bow or by locking the ends of the cord using a cord lock when the ends of the cord have a common exit from the passage. This embodiment gives a simple loosening and fixation of the cord(s) and adaptation of the length of the rim of the hole, especially for users having poor dexterity.

10 Useful in connection with the present invention is that the element is in the form of two cords having two common exits from the passage, preferably situated spaced about 180° from each other, the cords passing through complementary parts of the passage and each set of two ends of the cords having the common  
15 exits from the passage being locked using a cord lock.

It may be seen as practical that the element is an elastic element which together with the elasticity of the material from which the garment is made allows for a temporary enlargement of the hole without having to rely on untying and tying a  
20 string or lace. An elastic element is suitably an elastic band such as a band of rubber, cord fabric, or cavalry twill.

#### Description of the Preferred Embodiments

The invention is now explained more in detail with reference to the drawings  
25 showing preferred embodiments of the invention.

Reference is made to Figure 1 showing an embodiment of an ostomy support garment of the invention in the form of a pair of support briefs 1 worn by a user, said briefs having a hole 2 for receiving a stoma 3, said hole having a stabilised  
30 edge 4 wherein the edge is in the form of a passage in which are placed two cords 5,6 leaving the passage through two common exits from the passage situated spaced about 180° from each other, each of the cords passing through

complementary parts of the passage and each set of two ends of the cords having common exits from the passage being locked using a cord lock 7,7'. An ostomy body side member 8 is placed on the abdomen of the user for attachment of a collecting bag.

5


Fig. 2 and 3 show different embodiments of the slits (10, 16) of the present invention. In fig. 2 one slit 10 is provided in the stabilised edge 4 of the hole 2. The slit has a first side 12 and a second side 14. The first side 12 and the second side 14 may be made such that they abut on each other or a gap may be provided between the two sides. In fig. 3 a first slit 10 and a second slit 16 are provided each having first sides (12, 18) and second sides (14, 19).

10


### Claims

1. An ostomy support garment in the form of a material having a hole for receiving a stoma, said hole having a stabilised edge wherein the edge is provided with an element allowing an increase or reduction of the length of the edge of the hole, wherein the hole is provided with a slit, which juts from the edge of the hole into the material and the element is a fastening element enabling a closure of the slit reducing the perimeter of the hole.
- 5
- 10 2. A garment as claimed in claim 1 wherein the fastening is an element closing the slit is a lace placed in a passage at the edge of the hole, said passage being interrupted by the slit.
3. A garment as claimed in claim 7 wherein the fastening is an element closing the slit is a zip-like fastener, snaps, buckles, buttons, rings or by mating elements of hook and loop fastening material bridging the slit at the edge of the hole.
- 15


Fig. 1



**Fig. 2**



**Fig. 3**



**This Page is Inserted by IFW Indexing and Scanning  
Operations and is not part of the Official Record**

**BEST AVAILABLE IMAGES**

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☐ **BLACK BORDERS**
- ☐ **IMAGE CUT OFF AT TOP, BOTTOM OR SIDES**
- ☒ **FADED TEXT OR DRAWING**
- ☒ **BLURRED OR ILLEGIBLE TEXT OR DRAWING**
- ☐ **SKEWED/SLANTED IMAGES**
- ☐ **COLOR OR BLACK AND WHITE PHOTOGRAPHS**
- ☐ **GRAY SCALE DOCUMENTS**
- ☐ **LINES OR MARKS ON ORIGINAL DOCUMENT**
- ☐ **REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY**
- ☐ **OTHER:** \_\_\_\_\_

**IMAGES ARE BEST AVAILABLE COPY.**

**As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.**